

**Subpart F—Project Requirements**

**§ 92.250 Maximum per-unit subsidy amount and subsidy layering.**

(a) *Maximum per-unit subsidy amount.* The total amount of HOME funds and ADDI funds that a participating jurisdiction may invest on a per-unit basis in affordable housing may not exceed the per-unit dollar limitations established under section 221(d)(3)(ii) of the National Housing Act (12 U.S.C. 1715l(d)(3)(ii)) for elevator-type projects that apply to the area in which the housing is located. These limits are available from the Multifamily Division in the HUD Field Office. If the participating jurisdiction's per-unit subsidy amount has already been increased to 210% as permitted under section 221(d)(3)(ii) of the National Housing Act, upon request of the Field Office, HUD will allow the per-unit subsidy amount to be increased on a program-wide basis to an amount, up to 240% of the original per unit limits.

(b) *Subsidy layering.* Before committing funds to a project, the participating jurisdiction must evaluate the project in accordance with guidelines that it has adopted for this purpose and will not invest any more HOME funds, in combination with other governmental assistance, than is necessary to provide affordable housing.

[61 FR 48750, Sept. 16, 1997, as amended at 62 FR 28929, May 28, 1997; 69 FR 16766, Mar. 30, 2004]

**§ 92.251 Property standards.**

(a) (1) Housing that is constructed or rehabilitated with HOME funds must meet all applicable local codes, rehabilitation standards, ordinances, and zoning ordinances at the time of project completion, except as provided in paragraph (b) of this section. The participating jurisdiction must have written standards for rehabilitation that ensure that HOME-assisted housing is decent, safe, and sanitary. In the absence of a local code for new construction or rehabilitation, HOME-assisted new construction or rehabilitation must meet, as applicable, one of three model codes: Uniform Building Code (ICBO), National Building Code (BOCA), Standard (Southern) Building Code (SBCCI); or the Council of Amer-

ican Building Officials (CABO) one or two family code; or the Minimum Property Standards (MPS) in 24 CFR 200.925 or 200.926. To avoid duplicative inspections when FHA financing is involved in a HOME-assisted property, a participating jurisdiction may rely on a Minimum Property Standards (MPS) inspection performed by a qualified person. Newly constructed housing must meet the current edition of the Model Energy Code published by the Council of American Building Officials.

(2) All other HOME-assisted housing (e.g., acquisition) must meet all applicable State and local housing quality standards and code requirements and if there are no such standards or code requirements, the housing must meet the housing quality standards in 24 CFR 982.401.

(3) The housing must meet the accessibility requirements at 24 CFR part 8, which implements Section 504 of the Rehabilitation Act of 1973 (29 U.S.C. 794) and covered multifamily dwellings, as defined at 24 CFR 100.201, must also meet the design and construction requirements at 24 CFR 100.205, which implement the Fair Housing Act (42 U.S.C. 3601–3619).

(4) Construction of all manufactured housing must meet the Manufactured Home Construction and Safety Standards established in 24 CFR part 3280. These standards pre-empt State and local codes covering the same aspects of performance for such housing. Participating jurisdictions providing HOME assistance to install manufactured housing units must comply with applicable State and local laws or codes. In the absence of such laws or codes, the participating jurisdiction must comply with the manufacturer's written instructions for installation of manufactured housing units. Manufactured housing that is rehabilitated using HOME funds must meet the requirements set out in paragraph (a)(1) of this section.

(b) The following requirements apply to housing for homeownership that is to be rehabilitated after transfer of the ownership interest:

(1) Before the transfer of the homeownership interest, the participating jurisdiction must: